

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2606	((socket or holder or tool) with (probe or sensor or transducer or detector) near5 (insert\$3 or plac\$3 or position\$3 or push\$3 or implant\$3)).clm.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/09 13:52
L2	255	((socket or holder or tool) with (probe or sensor or transducer or detector) near5 (insert\$3 or plac\$3 or position\$3 or push\$3 or implant\$3) and releas\$3).clm.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/09 13:53
L3	36	((socket or holder or tool) with (probe or sensor or transducer or detector) near5 (insert\$3 or plac\$3 or position\$3 or push\$3 or implant\$3) and releas\$3 and depth).clm.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/09 13:55

L4	1	((socket or holder or tool) with (probe or sensor or transducer or detector) near5 (leav\$3 or left) near5 depth).clm.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/0 9 13:56
L5	14	((socket or holder or tool) with (probe or sensor or transducer or detector) near5 (leav\$3 or left) ).clm.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/0 9 14:00
L6	1766	73/146.ccls.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/0 9 14:01
L7	53	6 and socket	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/0 9 14:02

L8	803	6 and (depth or distance)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/0 9 14:02
L9	65	6 and (depth or distance) near2 tread	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/0 9 14:02